Author index

Abe, K., see Matsumoto, I. (93) 105 Ahn, Y.H., see Park, S.A. (93) 18 Akbar, M.T., Wells, D.J., Latchman, D.S. and de Belleroche, J.

Heat shock protein 27 shows a distinctive widespread spatial and temporal pattern of induction in CNS glial and neuronal cells compared to heat shock protein 70 and caspase 3 following kainate administration (93) 148

Akinshola, B.E., Stewart, R.R., Karvonen, L.-L., Taylor, R.E. and Liesi, P. Involvement of non-NMDA receptors in the rescue of weaver cerebellar granule neurons and sensitivity to ethanol of cerebellar AMPA receptors in oocytes (93) 8

Allan, S.M., Harrison, D.C., Read, S., Collins, B., Parsons, A.A., Philpott, K. and Rothwell, N.J.
Selective increases in cytokine expression in the rat brain in response to striatal injection of α-amino-3-hydroxy-5-methyl-4-isoxazolepropionate and interleukin-1 (93) 180

Baille, V., see Djebaïli, M. (93) 190
Barone, F.C., see Bates, S. (93) 70
Bates, S., Read, S.J., Harrison, D.C., Topp, S., Morrow, R., Gale, D., Murdock, P., Barone, F.C., Parsons, A.A. and Gloger, I.S.
Characterisation of gene expression changes following permanent MCAO in the rat using subtractive hybridisation (93) 70
Belcher, S.M., see Light, K.E. (93) 46
Bockaert, J., see Djebaïli, M. (93) 190
Burke, W.J., see Li, S.W. (93) 1

Cadei, M., see Uberti, D. (93) 81
Cadet, J.L., see Deng, X. (93) 64
Campbell, B.M. and Walker, P.D.

NMDA receptor antagonism modifies
the synergistic regulation of striatal
tachykinin gene expression induced
by dopamine D₁ and serotonin₂
receptor stimulation following
neonatal dopamine depletion (93) 90
Choi, K.S., see Park, S.A. (93) 18
Chou, J., see Deng, X. (93) 64

Chung, K., see Xie, J. (93) 164 Collins, B., see Allan, S.M. (93) 180 Cooper, N.G.F., see Xue, J. (93) 95

de Belleroche, J., see Akbar, M.T. (93) 148
Deng, X., Wang, Y., Chou, J. and Cadet, J.L.
Methamphetamine causes widespread
apoptosis in the mouse brain:
evidence from using an improved
TUNEL histochemical method (93)
64

Djebaïli, M., Lerner-Natoli, M., Pascale, M., Baille, V., Bockaert, J. and Rondouin, G. Molecular events involved in neuronal death induced in the mouse hippocampus by in-vivo injection of kainic acid (93) 190

Emori, Y., see Matsumoto, I. (93) 105

Gale, D., see Bates, S. (93) 70 Ge, Y., see Light, K.E. (93) 46 Geller, A.I., see Neill, J.C. (93) 127 Gloger, I.S., see Bates, S. (93) 70 Goldberg, D.J., see Murashov, A.K. (93) 199 Gómez-Lira, G., see Lamas, M. (93) 209 Grigolato, P., see Uberti, D. (93) 81 Guiñazú, M.F., see Richter, H.G. (93) 137 Gutiérrez, R., see Lamas, M. (93) 209

Harrison, D.C., see Allan, S.M. (93) 180 Harrison, D.C., see Bates, S. (93) 70 Hill, C., see Murashov, A.K. (93) 199 Ho Lee, Y., see Xie, J. (93) 164 Holmes, G.L., see Neill, J.C. (93) 127 Houpt, T.A., see Spencer, C.M. (93) 113

Karvonen, L.-L., see Akinshola, B.E. (93) 8 Kim, S.U., see Park, S.A. (93) 18 Knuckey, N.W., see Majda, B.T. (93) 173

Laabich, A., see Xue, J. (93) 95
Lamas, M., Gómez-Lira, G. and Gutiérrez, R.
Vesicular GABA transporter mRNA
expression in the dentate gyrus and in
mossy fiber synaptosomes (93) 209
Latchman, D.S., see Akbar, M.T. (93) 148
Lee, B.I., see Park, S.A. (93) 18
Lerner-Natoli, M., see Djebaïli, M. (93) 190
Li, G., see Xue, J. (93) 95
Li, S.W., Lin, T.-S., Minteer, S. and Burke,
W.J.
3,4-Dihydroxyphenylacetaldehyde and

hydrogen peroxide generate a hydroxyl radical: possible role in Parkinson's disease pathogenesis (93)

Liesi, P., see Akinshola, B.E. (93) 8
Light, K.E., Ge, Y. and Belcher, S.M.
Early postnatal ethanol exposure
selectively decreases BDNF and
truncated TrkB-T2 receptor mRNA
expression in the rat cerebellum (93)
46

Lin, T.-S., see Li, S.W. (93) 1 Liu, Z., see Neill, J.C. (93) 127

Madhav, T.R., Pei, Q. and Zetterström, T.S.C. Serotonergic cells of the rat raphe nuclei express mRNA of tyrosine kinase B (trkB), the high-affinity receptor for brain derived neurotrophic factor (BDNF) (93) 56

Majda, B.T., Meloni, B.P., Rixon, N. and Knuckey, N.W.
Suppression subtraction hybridization and northern analysis reveal upregulation of heat shock, trkB, and sodium calcium exchanger genes following global cerebral ischemia in the rat (93) 173

Matsumoto, I., Emori, Y., Ninomiya, Y. and Abe, K.

A comparative study of three cranial sensory ganglia projecting into the oral cavity: in situ hybridization analyses of neurotrophin receptors

and thermosensitive cation channels (93) 105

McGinty, J.F., see Tzaferis, J.A. (93) 27
Meloni, B.P., see Majda, B.T. (93) 173
Memo, M., see Uberti, D. (93) 81
Millán, C.S., see Richter, H.G. (93) 137
Minteer, S., see Li, S.W. (93) 1
Mo Chung, J., see Xie, J. (93) 164
Morrow, R., see Bates, S. (93) 70
Muñoz, R.I., see Richter, H.G. (93) 137
Murashov, A.K., Ul Haq, I., Hill, C., Park, E., Smith, M., Wang, X., Wang, X.,
Goldberg, D.J. and Wolgemuth, D.J.
Crosstalk between p38, Hsp25 and
Akt in spinal motor neurons after sciatic nerve injury (93) 199
Murdock, P., see Bates, S. (93) 70

Neill, J.C., Sarkisian, M.R., Wang, Y., Liu, Z.,

Yu, L., Tandon, P., Zhang, G.-r., Holmes, G.L. and Geller, A.I.
Enhanced auditory reversal learning by genetic activation of protein kinase C in small groups of rat hippocampal neurons (93) 127

Ninomiya, Y., see Matsumoto, I. (93) 105

Park, E., see Murashov, A.K. (93) 199
Park, H.J., see Park, S.A. (93) 18
Park, S.A., Park, H.J., Lee, B.I., Ahn, Y.H.,
Kim, S.U. and Choi, K.S.
Bcl-2 blocks cisplatin-induced
apoptosis by suppression of ERKmediated p53 accumulation in B104
cells (93) 18

Parsons, A.A., see Allan, S.M. (93) 180 Parsons, A.A., see Bates, S. (93) 70 Pascale, M., see Djebaïli, M. (93) 190 Pei, Q., see Madhav, T.R. (93) 56 Philpott, K., see Allan, S.M. (93) 180 Piccioni, L., see Uberti, D. (93) 81

Read, S., see Allan, S.M. (93) 180
Read, S.J., see Bates, S. (93) 70
Richter, H.G., Muñoz, R.I., Millán, C.S.,
Guiñazú, M.F., Yulis, C.R. and
Rodríguez, E.M.
The floor plate cells from bovine
express the mRNA encoding for
SCO-spondin and its translation
products (93) 137
Rixon, N., see Majda, B.T. (93) 173

Rodríguez, E.M., see Richter, H.G. (93) 137 Rondouin, G., see Djebaïli, M. (93) 190 Rothwell, N.J., see Allan, S.M. (93) 180 Rotter, V., see Uberti, D. (93) 81

Sarkisian, M.R., see Neill, J.C. (93) 127
Shimada, S., see Ueda, T. (93) 36
Smith, M., see Murashov, A.K. (93) 199
Spencer, C.M. and Houpt, T.A.

Dynamics of c-fos and ICER mRNA
expression in rat forebrain following
lithium chloride injection (93) 113
Stewart, R.R., see Akinshola, B.E. (93) 8

Saishin, Y., see Ueda, T. (93) 36

Tandon, P., see Neill, J.C. (93) 127
Taylor, R.E., see Akinshola, B.E. (93) 8
Topp, S., see Bates, S. (93) 70
Tzaferis, J.A. and McGinty, J.F.
Kappa opioid receptor stimulation decreases amphetamine-induced behavior and neuropeptide mRNA expression in the striatum (93) 27

Uberti, D., Piccioni, L., Cadei, M., Grigolato, P., Rotter, V. and Memo, M. p53 is dispensable for apoptosis but controls neurogenesis of mouse dentate gyrus cells following γ-irradiation (93) 81

Ueda, T., Ugawa, S., Saishin, Y. and Shimada, S.

Expression of receptor-activity

modifying protein (RAMP) mRNAs in the mouse brain (93) 36 Ugawa, S., see Ueda, T. (93) 36 Ul Haq, I., see Murashov, A.K. (93) 199

Walker, P.D., see Campbell, B.M. (93) 90 Wang, C., see Xie, J. (93) 164 Wang, X., see Murashov, A.K. (93) 199 Wang, Xy., see Murashov, A.K. (93) 199 Wang, Y., see Deng, X. (93) 64 Wang, Y., see Neill, J.C. (93) 127 Wells, D.J., see Akbar, M.T. (93) 148 Wolgemuth, D.J., see Murashov, A.K. (93) 199

Xie, J., Ho Lee, Y., Wang, C., Mo Chung, J. and Chung, K.
Differential expression of alphal-adrenoceptor subtype mRNAs in the dorsal root ganglion after spinal nerve ligation (93) 164

Xue, J., Li, G., Laabich, A. and Cooper,
 N.G.F.
 Visual-mediated regulation of retinal
 CaMKII and its GluR1 substrate is
 age-dependent (93) 95

Yu, L., see Neill, J.C. (93) 127 Yulis, C.R., see Richter, H.G. (93) 137

Zetterström, T.S.C., see Madhav, T.R. (93) 56 Zhang, G.-r., see Neill, J.C. (93) 127

